Z50 Z70 Z100



#### Z50 - Z70 - Z100

### \*Zennio

- 1. The range: Z50 Z70 Z100
- 2. Customisation
- 3. Licensed functionality
  - Remote Control
  - Video Intercom
  - Voice Control
- 4. ZenVoice



### The range

Z50 - Z70 - Z100







#### A new generation arrives

- 5" backlit touch screen
- 96 control points distributed in 12 pages
- Remote Control via Zennio Remote app (licensed)
- GetFace video intercom communication (licensed)
- Voice control via ZenVoice (requires remote control and voice control licenses)
- Installation in European, British, Australian, American or Italian standard single back box
- 2 inputs for presence detectors, temperature probe or dry contacts
- Built-in temperature probe
- Luminosity and proximity sensor
- Available in White (W), Black (A), Silver (S) and Gloss White (GW)













Touch Screen



5" screen



96 control points distributed in 12 pages




2 A/D inputs



White, black and silver



Proximity sensor





Luminosity sensor



#### All in one already available

- 7" backlit touch screen
- 144 control points distributed in 12 pages
- Page configuration as 3x4 buttons
- Remote Control via Zennio Remote app (licensed)
- **GetFace** video intercom communication (licensed)
- Voice control via **ZenVoice** (requires remote control and voice control licenses)
- Installation in European, British, Australian, American or Italian standard double back box
- 4 inputs for presence detectors, temperature probe or dry contacts
- Built-in temperature probe
- Luminosity and proximity sensor
- Available in White (W), Black (A), Silver (S) and Gloss White (GW)











Touch Screen



25.0 ℃ | 20:30 🛱

7" screen

4 A/D inputs



144 control points distributed in 12 pages



Proximity sensor



White, black and silver




Luminosity sensor




2 thermostats









- 180 control points distributed in 12 pages
- Page configuration as 4x5 or 3x4 buttons
- Remote Control via Zennio Remote app (licensed)
- GetFace video intercom communication (licensed)
- Voice control via ZenVoice (requires remote control and voice control licenses)
- Installation in European, British, Australian, American or Italian standard double back box
- 4 inputs for presence detectors, temperature probe or dry contacts
  \*No built-in temperatura probe
- Luminosity and proximity sensor
- Available in White (W), Black (A), Silver (S) and Gloss White (GW)









Touch Screen

180 control points

distributed in 12 pages

White, black and silver



10" screen



4 A/D inputs




Proximity sensor



Luminosity sensor



2 thermostats



#### PERSONALISED ICONS

#### To meet every eye

## Looking to use your own icon library? Design your own icons

- Up to 15 button-type icons
- Up to 40 indication-type icons
- Up to 40 page icons
- SVG format
- USB import



#### Or ask us We'll do it for you

If you are looking for a special specific icon for a project that will keep the existing icons aesthetic, we can create the icon you need.



#### LICENSED FUNCTIONALITY

One hardware, bespoke functionality



Remote control license




Video Intercom license



Voice control license









# One hardware, bespoke functionality



Voice control license: ZenVoice











### ZenVoice

#### ¡Alexa! Thank Zennio for making my life easier

ZenVoice allows control of your KNX installation using voice assistants. No additional element is required other than the control touch panel.

#### What's needed?

- Zennio Remote account (smartphone remote control).
- 2. Having a voice assistant, Alexa or Google Home, in your smartphone or Smart speaker.
- Amazon Alexa/Google Home account.
- 4. Link your Amazon Alexa/Google Home account to your Zennio Remote account.

#### That's all!

The remote controls available in your app are now ready to be controlled using voice commands.



# \*Zennio